

SABIC® Polyester POY 205

Polyethylene Terephthalate
Saudi Basic Industries Corporation (SABIC)

Message:
Polyester partially oriented yarn for Texturising
280 dtex (252 den)/48 filament, semi dull
Nominal Final DTY Titre 167 dtex (150 den)

General Information	
Uses	braided wire
	Textile applications
Forms	Particle
Additional Information	

Titre, SABIC 0007, Decitex setting: 280 dtexTitre, SABIC 0007, Denier setting: 252 denTitre deviation: ± 2%Nominal final titre (no coning oil), SABIC 0007, Decitex setting: 167 dtexNominal final titre (no coning oil), SABIC 0007, Denier setting: 150 denNumber of filaments: 48Uster (normal), SABIC 0011: -0.9%Dye uptake, SABIC 0018: 100 ± 6%Moisture, SABIC 0031: < 0.4% w/wOil pick up, SABIC 0054: 0.25-0.50% w/wTenacity at break, SABIC 0013, Decitex setting: 20.0 cN/texTenacity at break, SABIC 0013, Denier setting: 2.26 gm/denElongation at break, SABIC 0013: 120%Luster: Semi-Dull

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China


WECHAT