

Propilven J-300

Polypropylene Homopolymer

Propilven, S.A.

Message:

Propilven J-300 grade is a polypropylene homopolymer designed for industrial sheet extrusion, plastic cardboard, straps and blown bottles.

Special Features:

Good processing capacity

General Information	
Features	Food Contact Acceptable
	Good Processability
	Homopolymer
Uses	Bottles
	Sheet
	Strapping
Forms	Pellets
Processing Method	Blow Molding
	Sheet Extrusion

Physical	Nominal Value	Unit	Test Method
Melt Mass-Flow Rate (MFR)	1.4	g/10 min	ASTM D1238
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Break)	35.0	MPa	ASTM D638
Flexural Modulus	1500	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	45	J/m	ASTM D256
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load (0.45 MPa, Unannealed)	105	°C	ASTM D648

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT