

Royalstat R671

Acrylonitrile Butadiene Styrene

Spartech Plastics

Message:

Royalstat R671 is an acrylonitrile butadiene styrene (ABS) product. It can be processed by thermoforming or vacuum forming and is available in North America. The application fields of Royalstat R671 include electrical/electronic applications, containers, packaging and military applications.

General Information	
Features	Antistatic property
Uses	Packaging Electrical components Electronic data processing Tools/Parts Box Container
Agency Ratings	MIL B-81705B
Forms	Sheet
Processing Method	Thermoforming Vacuum forming

Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.07	g/cm ³	ASTM D792
Hardness	Nominal Value	Unit	Test Method
Rockwell Hardness (R-Scale)	80		ASTM D785
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	27.6	MPa	ASTM D638
Flexural Modulus	1650	MPa	ASTM D790
Flexural Strength (Yield)	45.5	MPa	ASTM D790
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load (1.8 MPa, Unannealed)	81.1	°C	ASTM D648
Electrical	Nominal Value	Unit	Test Method
Surface Resistivity	1.0E+5	ohms	ASTM D257

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

