# Nipol® NBR N41

### Acrylonitrile Butadiene Rubber

#### Zeon Corporation

#### Message:

Nipol NBR (acrylonitrile butadiene rubber) is a synthetic rubber with extremely well-balanced price, processability, and performance, featuring superior oil resistance and high mechanical strength. Nipol NBR is used in a wide range of applications, including oil resistant hoses, seals, O-rings, rolls, vibration-insulting rubber, and rubber sheets.

ZEON Corporation offers high-quality, high-performance Nipol NBR worldwide as the leading manufacturer of acrylonitrile butadiene rubber.

The next-generation, high efficiency, high performance acrylonitrile butadiene rubber "DN Four Digits Series" features mold contamination resistance, with high-speed vulcanization and high rebound resilience, and was developed to meet a wide variety of needs.

Characteristics & Applications

Standard medium acrylonitrile NBR in cold polymerization system.

Oil resistant hoses, packings, gaskets, oil seals, diaphragms, rolls, and other industrial parts, requiring low temperature resistance. Parts for aircraft, automobiles, railways, etc.

General Information		
Additive	Antioxidant 2	
Features	Antioxidant	
	High Strength	
	Oil Resistant	
Uses	Aircraft Applications	
	Automotive Applications	
	Diaphragms	
	Gaskets	
	Hose	
	Industrial Applications	
	Rollers	
	Seals	

Physical	Nominal Value	Unit
Specific Gravity	0.968	g/cm³
Mooney Viscosity	78	MU
Bound Acrylonitrile	29	%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

#### Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519 Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

