# **DSR TL-104**

#### Polyethylene Terephthalate

Dragon Special Resin (Xiamen) Co., Ltd.

#### Message:

#### Characteristics:

odor-free, non-toxic, high transparency, high strength and air-tightness, light weight and easy transportability, uniform size, stable viscosity, excellent processing ability and high product yield. In particular, the products fully conform to international standards for food-grade usages due to their low heavy metal, acetaldehyde and ash contents. These products are ideal 'green' materials for beverage bottle and food packaging.

| General Information     |                                |       |                 |
|-------------------------|--------------------------------|-------|-----------------|
| Features                | Good Processability            |       |                 |
|                         | High Clarity                   |       |                 |
|                         | High Strength                  |       |                 |
|                         | Low to No Odor                 |       |                 |
|                         | Non-Toxic                      |       |                 |
|                         |                                |       |                 |
| Uses                    | Beverage Containers            |       |                 |
|                         | Bottles                        |       |                 |
|                         | Food Packaging                 |       |                 |
|                         | Non-specific Food Applications |       |                 |
|                         |                                |       |                 |
| Forms                   | Pellets                        |       |                 |
| Physical                | Nominal Value                  | Unit  | Test Method     |
| Acetaldehyde            | < 1.0                          | ppm   |                 |
| Ash Content             | < 0.080                        | %     |                 |
| Color b                 | < 0.00                         |       |                 |
| Color L                 | > 80.0                         |       |                 |
| Crystallinity           | > 45                           | %     |                 |
| Intrinsic Viscosity     | 0.82 to 0.85                   | dl/g  | Internal Method |
| Water Content           | < 0.40                         | %     |                 |
| Carboxyl End Groups     | < 35.0                         | mol/t |                 |
| DEG Content             | 1.3 to 1.7                     | %     |                 |
| Dust                    | < 100                          | mg/kg |                 |
| Impurities <sup>1</sup> | NIL                            |       |                 |
| Thermal                 | Nominal Value                  | Unit  | Test Method     |
| Melting Temperature     | > 245                          | °C    | DSC             |
| NOTE                    |                                |       |                 |
| 1.                      | pellet/500g                    |       |                 |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

### Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

