# Varcum 29202

#### Phenolic

### **Durez Corporation**

#### Message:

Varcum 29202 is an unmodified, one-step, powdered phenolic resin.

Passenger car brake linings.

Passenger car clutch discs.

Provides a very slight softening action under elevated temperature conditions.

Contributes to retention of frictional properties under varying temperatures.

Exhibits smooth, soft braking action and good pedal feel.

Hexamethylenetetramine may be added to increase the rate of cure.

General Information			
Uses	Automotive Applications		
	Liners		
Forms	Powder		
Thermal	Nominal Value	Unit	Test Method
Softening Point <sup>1</sup>	63	°C	Internal Method
Inclined Plate Flow (125°C)	6.25	cm	Internal Method
Screen Mesh <sup>2</sup>	< 1.0	%	Internal Method
Thermoset	Nominal Value	Unit	Test Method
Post Cure Time (150°C)	0.014	hr	
NOTE			
1.	cap. shrink		
2.	200 Mesh		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

#### Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

