

# TOTAL Polyethylene MDPE LF 38 YSCF

Medium Density Polyethylene

TOTAL Refining & Chemicals

Message:

MDPE LF 38 YSCF is a brown stripe compound designed to be used in combination with the black PE 80 grade MDPE 3802 B for gas networks. An accredited laboratory has proved fusion compatibility of the base polymer of MDPE LF 38 YSCF with MDPE 3802 B.

General Information			
Uses	Piping		
Agency Ratings	EC 1907/2006 (REACH)		
Appearance	Yellow		
Forms	Pellets		
Processing Method	Pipe Extrusion		
Physical	Nominal Value	Unit	Test Method
Melt Mass-Flow Rate (MFR) (190°C/5.0 kg)	0.90	g/10 min	ISO 1133
Water Content	< 300	ppm	EN 12118
Thermal Stability	> 20	min	ISO 11357-6

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material


Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT