

Sindustris PE XL8081NT

Polyethylene

Sincerity Australia Pty Ltd.

Message:

Sindustris PE XL8081NT is a Polyethylene material. It is available in Asia Pacific.
Typical application of Sindustris PE XL8081NT: Wire & Cable

General Information			
Uses	High Voltage Insulation		
	Medium Voltage Insulation		
UL File Number	E306922		
Physical	Nominal Value	Unit	Test Method
Density	0.922	g/cm ³	ASTM D1505
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (25°C)	> 19.6	MPa	ASTM D638
Tensile Elongation (Break, 25°C)	> 500	%	ASTM D638
Electrical	Nominal Value	Unit	Test Method
Volume Resistivity	1.0E+16	ohms·cm	ASTM D257
Dielectric Constant (1 MHz)	2.30		ASTM D150
Dissipation Factor (1 MHz)	4.0E-4		ASTM D150

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material


Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT