

# Laser+® HS (AD600A)

Polyethylene Terephthalate

DAK Americas LLC

Message:

Laser+ ® HS (AD600A) is a Polyethylene Terephthalate (PET) material. It is available in Latin America for injection stretch blow molding.

Important attributes of Laser+ ® HS (AD600A) are:

Eco-Friendly/Green

Food Contact Acceptable

Good Aesthetics

Typical applications include:

Packaging

Bottles

General Information			
Features	Food Contact Acceptable		
	Good Surface Finish		
	Recyclable Material		
Uses	Bottles		
	Food Packaging		
	Packaging		
Forms	Pellets		
Processing Method	Injection Stretch Blow Molding		
Physical	Nominal Value	Unit	Test Method
Acetaldehyde	< 2.0	ppm	Internal Method
Bulk Density	ASTM D1895		
	Poured	810	g/l
	Vibrated	871	g/l
Color	Internal Method		
	CIE a*	-3.3 to -0.30	
	CIE b*	-3.1 to 0.90	
	CIE L*	> 74	
Intrinsic Viscosity	0.80 to 0.84	dl/g	Internal Method
Particle Shape	Cubical		
Particle Size	2.50	mm	Internal Method
Fines	< 0.1	wt%	Internal Method

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

# Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

