Moplen EP5077

Polypropylene Impact Copolymer

PolyMirae

Message:

Moplen EP5077 is the reactor TPO manufactured by PMC under the license of BASELL using the Spheripol process.

Moplen EP5077 is a super impact copolymer particularly suitable for injection molding of high impact resistance required application and compounding base resin of automotive bumper

Product Features

Super high impact strength even at low temperature/Improved processability

Typical Applications

Automotive/High impact resistance required application/Container

General Information			
Features	Copolymer		
	Good Processability		
	High Impact Resistance		
	Low Temperature Impact Resistance		
Uses	Automotive Applications		
	Automotive Bumper		
	Containers		
Processing Method	Injection Molding		
Physical	Nominal Value	Unit	Test Method
Density	0.900	g/cm³	ASTM D1505
Melt Mass-Flow Rate (MFR) (230°C/2.16			
kg)	40	g/10 min	ASTM D1238
Hardness	Nominal Value	Unit	Test Method
Rockwell Hardness (R-Scale)	45		ASTM D785
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	17.7	МРа	ASTM D638
Tensile Elongation (Yield)	6.0	%	ASTM D638
Flexural Modulus	735	МРа	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact			ASTM D256
-20°C	120	J/m	
23°C	No Break		
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load (0.45			
MPa, Unannealed)	90.0	°C	ASTM D648

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

