

MIDILENA III HDPE RBF0.08

High Density Polyethylene
ROMPETROL PETROCHEMICALS S.R.L.

Message:
MIDILENA III HDPE RBF0.08 is a High Density Polyethylene product. It can be processed by blown film or extrusion and is available in Europe. Applications of MIDILENA III HDPE RBF0.08 include bags/liners, film and packaging. Primary characteristic: antioxidant.

General Information			
Additive	Antioxidant		
	Halogen		
Features	Antioxidant		
	Halogenated		
Uses	Bags		
	Film		
	Packaging		
Forms	Pellets		
Processing Method	Blown Film		
	Extrusion		
Physical	Nominal Value	Unit	Test Method
Density	0.950	g/cm ³	ISO 1183
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	0.080	g/10 min	ISO 1133
Films	Nominal Value		
Film Thickness - Recommended / Available	>15 µm		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT