

Sinpolene MBW0251

Linear Low Density Polyethylene
Teknor Apex Asia Pacific PTE. LTD.

Message:

Sinpolene MBW0251 is a polyethylene-based white masterbatch designed specifically for use in tubular film blowing, blow moulding and extrusion of polyolefins. With its high pigment loading, Sinpolene MBW0251 offers high colouring value with excellent quality and performance. Sinpolene MBW0251 is delivered as free flowing pellets for processing convenience.

CHARACTERISTICS

- * Easy processing
- * Good dispersion
- * Good whiteness

General Information			
Additive	Titanium dioxide (TiO2) (25%)		
Uses	Films		
	Sheet		
RoHS Compliance	RoHS compliance		
Appearance	White		
Forms	Particle		
Processing Method	Blow film		
	Blow molding		
	Sheet extrusion molding		
	Injection molding		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.60	g/cm ³	ASTM D792
Melt Mass-Flow Rate (MFR) (190°C/2.1 kg)	10 - 30	g/10 min	ASTM D1238
Moisture Content		%	ASTM D3030
Additional Information			

Recommended dosage: 2 - 5%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519
Phone: +86 13424755533
Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

