

# Axiall PVC 8838

Flexible Polyvinyl Chloride

Axiall Corporation

Message:

A clear, flexible PVC compound with UV stability.

General Information			
Additive	UV Stabilizer		
Features	Good UV Resistance		
Appearance	Clear/Transparent		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.21 to 1.25	g/cm <sup>3</sup>	ASTM D792
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore A)	80 to 86		ASTM D2240
Mechanical	Nominal Value	Unit	Test Method
Tensile Modulus - 100% Secant	8.58	MPa	ASTM D638
Tensile Strength	17.8	MPa	ASTM D638
Tensile Elongation (Break)	380	%	ASTM D638
Additional Information	Nominal Value	Unit	
Stock Temperature	177	°C	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material


## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT