

# Tenite™ Acetate 132E5231229 Clear, Trsp

Cellulose Acetate  
Eastman Chemical Company

### Message:

Tenite™ cellulosic plastics are noted for their excellent balance of properties - toughness, hardness, strength, surface gloss, clarity, and a warm feel. The mechanical properties of Tenite™ cellulosic plastics differ with plasticizer levels. Lower plasticizer content yields a harder surface, higher heat resistance, greater rigidity, higher tensile strength, and better dimensional stability. Higher plasticizer content increases impact strength. Tenite™ cellulosic plastics are available in natural, clear, amber, and black. Color concentrates are available in let-down ratios from 10:1 to 40:1. Tenite™ Cellulosic Acetate 132-29 has a plasticizer level of 29%.

General Information	
Additive	Plasticizer (29%)
Features	Good Strength
	Good Toughness
	High Gloss
	High Hardness
	Plasticized
	Renewable Resource Content
	Soft
Uses	Eyeglasses
Appearance	Amber
	Black
	Clear/Transparent
	Natural Color
Forms	Pellets

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519  
Phone: +86 13424755533  
Email: sales@su-jiao.com  
No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT