INTENE® 60 AF

Low Cis Polybutadiene Rubber

Versalis S.p.A.

Message:

Intene® 60 AF is a solution polymerized low cis polybutadiene produced using an alkyl lithium catalyst at the Grangemouth production facility in Scotland. UK.

A TNPP/BHT free, food contact approved, non-staining antioxidant is added during the production process.

Key Features

Low cis BR is the polybutadiene of choice to produce high impact Polystyrene (HIPS).

Intene® 60 AF is particularly suited to applications where environmental stress cracking properties and/or improved impact strength are required. Main Applications

Impact improver to be used in polystyrene and ABS manufacuring.

General Information			
Additive	Antioxidant		
Features	Antioxidant		
	BHT Free		
	Food Contact Acceptable		
	High ESCR (Stress Crack Resist.)		
	High Impact Resistance		
Uses	Plastics Modification		
Forms	Bale		
Physical	Nominal Value	Unit	Test Method
1,4-cis Content	38.0	wt%	Internal Method
Ash Content	< 0.1	wt%	ASTM D5667
Gel Rating - 5% wt/wt in Styrene (25°C)	< 5		Internal Method
Solution Viscosity - 5% wt/wt in Styrene			
(25°C)	250	mPa·s	Internal Method
Volatile Matter	< 0.75	wt%	ASTM D5668
Alpha Color - 5% wt/wt in Styrene (25°C)	5.00		ASTM D1209

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

