

MIDILENA III PPF401NTT

Polypropylene Homopolymer
ROMPETROL PETROCHEMICALS S.R.L.

Message:

MIDILENA III PPF401NTT is a Polypropylene Homopolymer (PP Homopolymer) product filled with talc. It can be processed by extrusion and is available in Europe. Typical application: Adhesives/Tapes.

Characteristics include:

- Antioxidant
- Homopolymer
- Nucleated

General Information			
Filler / Reinforcement	Talc		
Additive	Antioxidant		
	Halogen		
	Nucleating Agent		
Features	Antioxidant		
	Halogenated		
	Homopolymer		
	Nucleated		
Uses	Tape		
Forms	Pellets		
Processing Method	Extrusion		
Physical	Nominal Value	Unit	Test Method
Density	0.910	g/cm ³	ISO 1183
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	3.0	g/10 min	ISO 1133

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 1342475533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT